

CLENAWARE 

S Y S T E M S

ware excellence is standard



The  **AIRACK™**

Product Information 

 Airack™ Glass Dryer Lite

MADE IN BRITAIN 



Product Overview & Key Features

To serve the perfect drink you need a dry glass. The Airack™ Lite will dry a basket of glasses ten times faster than leaving them to air dry on a vented shelf. The usual method in bars for drying glasses is with a cloth or towel, the Airack™ Lite eliminates the risk of cross-contamination that towel or cloth drying can produce, especially if the towel has been laundered with fabric softener.

The inside of the glass takes the longest to dry and air drying the inside of the glass, especially the nucleus at the base of the glass, is the correct and only practice that should be followed.

The Airack™ Lite is designed with a moulded top cover with specially positioned holes that allows the air to circulate inside the upturned warm and wet glass. The Airack™ Lite will leave glasses at an ambient room temperature and cool to touch, resulting in the glasses being ready to use once the desired cycle time is complete.

Quick Drying Time

Air drying a standard pint glass can take up to 40 minutes. Using the Airack™ Lite glasses can be dried 10 times faster. Set the timer to the desired drying time and when the cycle has finished, remove the glasses from the basket and your glasses will be dry and ready for immediate use.



Easy To Install And Use

The Airack™ Lite is supplied with a 3 pin plug for a wall socket. Simply remove the glass basket from the glasswasher, place the basket onto the top cover and turn the timer to the desired drying time. Any excess water collects in the top cover and this can be removed and tipped into a bowl or sink.

Faster Glass Rotation

Do away with towels and cloths and allow the Airack™ Lite to do all the hard work. The ambient temperature of the air flow cools the glasses as they dry which allows a quicker turnaround time.



Available In 3 Sizes

The Airack™ Lite is available in a 40, 45 or 50 size and each size is relevant to the size of glasswasher basket being used. The 40 accommodates any basket measuring up to 40cm² or smaller. The 45 accommodates any basket up to 45cm² or smaller. The 50 accommodates any basket up to 50cm² or smaller.



Technical Specifications



	Airack Lite 40	Airack Lite 45	Airack Lite 50
Machine Type:	Counter Top	Counter Top	Counter Top
Sizes:	40	45	50
Dimensions (mm):	W460 x H195 x D465	W510 x H195 x D515	W560 x H195 x D565
Electrical:	Single Phase 3 Amp	Single Phase 3 Amp	Single Phase 3 Amp
Machine Finish:	Recycled Plastic	Recycled Plastic	Recycled Plastic
Colours:	Black	Black	Black
Basket / Rack Size:	400mm sq	450mm sq	500mm sq
Baskets / Racks Per Hour:	Up to 15	Up to 15	Up to 15
Baskets / Racks Capacity:	Up to 18 Pint Glasses	Up to 24 Pint Glasses	Up to 30 Pint Glasses
Standard Cycle Time (mins):	Up to 30 mins	Up to 30 mins	Up to 30 mins
Control System:	Manual	Manual	Manual
Manufactured to ISO 9001 :2008:	Yes	Yes	Yes
CE Marked:	Yes	Yes	Yes



Installation Requirements

Siting

Positioning should be on a sound level surface with adequate clearance for servicing.

The Airack™ Lite can be mounted onto a purpose made basket stand providing optimum working height. It is recommended that if the The Airack™ Lite is mounted on a stand then the unit should be placed within close proximity of the glasswasher and no further than one metre from an electrical socket.

Electrical

The Airack™ Lite is supplied with a 13 Amp plug and can be plugged into a 3 pin plug for a wall socket. The socket must be positioned within one metre of the The Airack™ Lite and be easily accessible.



CLENAWARE

S Y S T E M S

ware excellence is standard



The  **AIRACK**™

Clenaware Systems Ltd

44 Huxley Close, Park Farm Industrial Estate, Wellingborough. Northants. NN8 6AB

Telephone: 01933 666244 **Fax:** 01933 665584

Email: info@clenaware.co.uk **Web:** www.clenaware.co.uk

MADE IN BRITAIN 